

SRIMANTA SANKARADEVA UNIVERSITY OF HEALTH SCIENCES

(A State University of Govt. of Assam)
NARAKASUR HILL TOP, BHANGAGARH, GUWAHATI-781032
Phone No. 6026177313 E-Mail: ssuhs assam@yahoo.in Website: www.ssuhs.in

No. SSUHS/47/2010/		Date ·	

NOTICE INVITING QUOTATION

Sealed quotation affixing court fees Stamp of Rs 8.25 (Rupees Eight and Twenty Five paisa) are invited from authorised manufacturer / distributors / suppliers for supply and installation of following items for office use at Srimanta Sankaradeva University of Health Sciences.

The quotation complete in all respect is to be submitted on or before **07.04.2023** upto 2:00 PM and the same will be opened **07.04.2023** at 3:00 PM

SI.No.	Item	Specification	Rate per Unit (including GST)
1	Table	Overall Size 1050W x 750D x 750Hmm (3.5W x2.5D x 2.5H Feet). Table top made of 25m,m thick PLPB with PVC edge banding, under structure CRCA pipe duly powder coated combination of 50x25x1.2mm & 25x25x1.2mm.	
2	Chair	Seat Assembly: The cushioned seat is made of injection moulded plastic outer and inner. Plastic inner is upholstered with stitched cover and moulded high resilience polyurethane foam of density 45+-2 kg/m3 and hardness load 16+-2 kgf as per IS:7888 for 25% compression. The stitched cover is made from spacer fabric and Back assembly cushioned back is made of PU foamwith insitu molded MS E.R.W round tube of size 1.9+-0.03 cm x 0.16+-0.0128 cm. It upholstered with spacer fabric and Visitor tubular frame is powder coated (DFT 40-60 micron) tubular frame is cantilever & made of 2.54+-0.03 cm x 0.2+-0.016 cm thick MS ERW tube. The back connected to frame through powder coated (DFT40-60 micron) high pressure die cast connector piece.	
3	Mid Back Revolving Chair with Backrest	SEAT/BACK ASSEMBLY: The seat	

	and moulded cushion	hot pressed plywood OCPQLTA-PL14-18.The Back should be made	
		up of injection	
		moulded glass filled nylon &	
		upholstered using Spacer Fabric. SEAT SIZE: 47.0 cm. (W) x 51.5 cm.	
		(D)	
		BACK SIZE :45.0 cm. (W) x 55 cm.	
		(H)	
		HIGH RESILIENCE (HR) POLYURETHANE FOAM:	
		The HR polyurethane foam should be	
		moulded with density =55+/-2 kg/m³	
		and hardness 16 ± 2 kgf for 25%	
		compression. Armrest Top has an integrated layer of Thermoplastic	
		Elastomer (TPE).	
		LUMBAR SUPPORT ASSEMBLY:	
		The Lumbar support cons should be	
		ts of polypropylene pad with moulded	
		polyurethane foam & covered with polyester fabric.	
		The Height of Lumbar pad can be	
		adjusted through two projecting knobs	
		provided on the rear side of the pad.	
		Lumbar pad has an adjustment of 8.0 ± 0.5 cm in height.	
4	High Back Revolving	SEAT/BACK ASSEMBLY: The seat	
•	Chair with Backrest	should be made up of 1.2 ± 0.1cm thk.	
	and moulded cushion	hot pressed plywood OCPQLTA-	
		PL14-18.The Back should be made up of injection	
		moulded glass filled nylon &	
		upholstered using Spacer	
		Fabric.HIGH RESILIENCE (HR)	
		POLYURETHANE FOAM: The HR polyurethane foam should be	
		moulded with density =55+/-2 kg/m ³	
		and hardness 16 ± 2 kgf for 25%	
		compression. Armrest Top has an	
		integrated layer of Thermoplastic	
		Elastomer (TPE).LUMBAR SUPPORT ASSEMBLY: The Lumbar	
		support cons should be of	
		polypropylene pad with moulded	
		polyurethane foam & covered with	
		polyester fabric. Overall dimension of the chair have to be Width of Chair-	
		710 mm, Depth-760mm as measured	
		from base below. Height of back from	
		ground min-1200mm to max 1290mm.	
		Seat Height min 430 mm to max 520mm. Dimension	
		tolerance/variation have to be within	
		+/- 10mm.	
5		78" X 60"The structure will be made of	
	Mattress	particle board with 18mm thickness	
1		head board, foot board, side panels	

and top. Size of the bed will be 78 X	
60 inches.Head board height will be	
36 inches.Edge banding will be done	
on edges of the board with 2 mm	
thickness on the visible parts and	
0.8mm on the non visible sides.Minifix	
dowels must be of german	
made.Adjustment labeller and bed	
clamp will be fitted.Manufacturer	
should be a certified member of	
BIFMA & following management	
system as per, ISO 18001:2007, ISO	
14001:2015, ISO 9001:2015,BIFMA	
Lavel-1,2,3,IGBC	
Green Guard & AIOTA.	

Terms & Conditions:

- 1. The price of items is to be quoted inclusive/exclusive of all taxes as applicable.
- 2. The copies of GST registration, Trade Licences, Pan Card to be annexed with the Quotation.
- 3. The bill/bills to be submitted in duplicate.
- 4. The bills to be produced for payment only after successful and satisfactory supply and installation of the items.
- 5. The undersigned has every right to accept and reject the quotation as deem fit it proper.

Registrar
Srimanta Sankaradeva University of Health Sciences.

Memo No. SSUHS/47/2010/1789-91

Copy for information forwarded to :

- The P.S to Hon'ble Vice Chancellor, Srimanta Sankaradeva University of Health Sciences.
- 2) The FAO & the Accountant, Srimanta Sankaradeva University of Health Sciences.

Notice Board / Website.

Registrar Srimanta Sankaradeva University of

Health Sciences

Date: 30/03/2023